



**Radiant 2** is a new generation leafy, fine textured variety with rapid germination, excellent traffic tolerance and poly species compatibility. **Radiant 2** sets a new standard with darker green color and endophyte enhancement in ryegrasses available to the turf professional today.

**Radiant 2** was developed for permanent poly species turfgrass blends and mixtures containing improved perennial ryegrass, Kentucky bluegrass, chewings, slender creeping and strong creeping red fescue, colonial bentgrass and turf type tall fescue. **Radiant 2** is also used extensively in winter overseeding programs.

- Excellent traffic tolerance
- Leafy with fine texture
- Rapid germination
- Dark green color
- Provides resistance to a number of leaf and crown feeding pests
- Excellent in mixtures with Kentucky bluegrass, chewing, slender creeping and strong creeping red fescue, colonial bentgrass and turf type tall fescue.
- Used in winter overseeding programs

**SEEDING RATE:**  
(new) 6-8 lbs./1000 sq. ft.  
(established) 3-4 lbs./1000 sq. ft.



2302 SE Creekview #6  
Ankeny IA 50021

(515)965-4425  
(515)965-4427 fax  
(800)810-1618 watts  
[www.dftseed.com](http://www.dftseed.com)

















## DESCRIPTION

Radiant 2 is a new generation leafy, fine textured variety with rapid germination, excellent traffic tolerance and poly species compatibility. Radiant 2 sets a new standard with darker green color and endophyte enhancement in ryegrasses available to the turf professional. The plant's dark green color means less fertilizer input to achieve and maintain beautiful turf color and fine dense leaf texture. Radiant 2 has a shorter growth habit, has improved mowing quality, and produces more tillers per plant to fill in rapidly. Plant growth of perennial ryegrass is dominated by aggressive basal tillering in contrast to vegetative stolons (above ground) and rhizomes (below ground).

## APPLICATION

Developed for permanent poly species turfgrass blends and mixtures containing improved perennial ryegrass, Kentucky bluegrass, chewing, slender creeping and strong creeping red fescue, colonial bentgrass and turf type tall fescue. Radiant 2 is also used extensively in winter overseeding programs on greens, tees and fairways either alone or in species mixtures.

## Turf Maintenance Characteristics

Growth Habit	Estab. Rate days	LHC Tol. 1/2"	Mowing Freq.	Traffic Tol.	Thatch Prod.	Comp. Mix	N. Reg.	Shade Tol.	Cold Tol.	Drought Tol.	ET rate mm/day	Endo-phyte	Salinity Tol. mmhos
 Bunch	 Med 7-10	 Very Good	 2x Week	 Very Good	 None	 Fair- Good	 Med- High 6-8 lbs*	 Fair- Good	 Fair- Good	 Fair	 High 9-10	 Yes >30%	 11 Good

*LHC=low height of cut, ET=evapotranspiration, N=nitrogen \*per 1,000 sq. ft; rates may increase or decrease based on location, soil type, irrigation practices, desired turf quality, humidity & other abiotic and biotic factors.*

## SEEDING

**Date:** Spring and fall when soil temperatures are 60°F or higher. Perennial ryegrass is the fastest establishing cool-season turfgrass species available to the lawn care professional and homeowner. Late autumn and winter turf quality ratings of newer varieties like Radiant 2 demonstrate that they can rapidly develop and maintain an attractive turf cover into late autumn early winter.

**Rates:** 6.0-8.0 lbs/1000 sq. ft. Seed count of Radiant 2 is approximately 275,000 seeds per pound dependent on year of harvest, location of production and seed production practices.

**Depth:** Sow at 1/4 to 1/2 inches.

## CULTURAL PRACTICES

**Soil Preparation:** Prepare a firm seed bed free of clods, sticks, and vegetative debris. Seed should be in contact with soil. Improved elite perennial ryegrass such as Radiant 2 prefers well-drained loamy soils but perform better in high bulk density soils than Kentucky bluegrass and fine fescue.

**pH:** Soil should be slightly acidic (5.5—6.5) for favorable growth. High pH soils (alkaline) often contribute to yellow chlorotic leaf color and are a direct result of iron chlorosis. Foliar applications of iron, chelated iron or soil amelioration to decrease soil pH are used to reduce or eliminate iron chlorosis in perennial ryegrass turf.

**NPK requirement:** Of the cool-season grasses used for turf improved perennial ryegrass requires moderately high to high levels of available soil nitrogen to maintain proper basal tillering and growth. When soil nitrogen levels are low or absent, perennial ryegrass turf will gradually thin and be replaced by low nitrogen adapted grasses, and unsightly weed species. In northern region 5-7 lbs. N/year; transitional climates 7-9 lbs; N/year; overseeding 2-4 lbs. N/growing month.

**Water Use:** Radiant 2 and other improved perennial ryegrasses are recognized as high water users with ET rate of 9-10 mm per day. Lower mowing heights, regulated soil nitrogen levels and infrequent but deep soil profile irrigation practices will help reduce perennial ryegrass requirements. Radiant 2 will enter summer induced dormancy and premature senescence or die if not properly hydrated (irrigated) during persistent low moisture soil conditions.

**Mowing height:** Radiant 2's recommended mowing height for permanent turf in blends and mixtures is 1-1 1/2 inches. On permanent turf or winter overseeded golf course fairways recommended mowing height is 3/4—1/2". On overseeded greens and tightly mowed tees Radiant 2 can be mowed at 125,000' to 180,000'.

**Growth regulators:** New growth regulators such as Primo (*Trinexapac-ethyl*) can be used to inhibit growth of warm season grass such as bermudagrass and zoysia during early season overseeding. This provides an excellent option for superintendents, landscapers and turfgrass managers that must overseed early when soil temperatures and day lengths are still beneficial to bermudagrass growth and tillering.

**Weed Control:** From No. Carolina State University (NCSU) Pest Control Recommendations for Turfgrass Managers 2003. In established turf for general broadleaf control: 2,4-D+dicamba, 2,4-D+MCP+dicamba, 2,4-D+2,4-DP and others. Pre-emergent herbicides to control annual grassy weeds in established turf: *benefin* (Balan), *bensulide* (Pre-Far), *dithiopyr+trifluralin*, *pendimethalin* (Pre-M), *prodiamine* (Barricade). Annual bluegrass *Poa annua* can be controlled pre and post-emergent on golf course fairways, tees and roughs with *ethofumesate* (Prograss).

*And all reference to pesticides, herbicides and fungicides whether a generic or named product is for general informational purposes only. Text reference is not intended as an endorsement nor does omission imply criticism. Always read and follow labeled instructions.*



2302 SE Creekview #6  
Ankeny IA 50021

515-965-4425—phone  
515-965-4427—fax

800-810-1618—watts  
[www.dftseed.com](http://www.dftseed.com)